

8-INCH WIDE LIGHT TACK GREEN TAPE

Temporary sealing for construction and HVAC

A versatile sealing solution for construction and HVAC applications. Micro-perforations every 152 mm allow fast, tool-free application, while the light tack adhesive provides a secure yet removable bond.

Designed for temporary sealing

- Airtightness and blower-door testing.
- Ventilation duct sealing and protection.
- Clean removal after temporary use.
- High tensile strength to resist shredding.



FAST, VISIBLE AND EASY TO REMOVE

203 mm

8-inch roll width

50.3 m

Roll length

152 mm

Micro-perforation spacing

TECHNICAL SPECIFICATIONS

PRODUCT DATA

Product specification

Feature	Specification
Width	203 mm (8 inches)
Length per roll	50.3 m (165 ft)
Coverage	Approx. 113 registers per roll
Perforation	Every 152 mm (6 inches)
Adhesive strength	Light tack - secure hold, clean removal
Tensile strength	High - designed to resist shredding
Colour	High-visibility green

Recommended applications

AIRTIGHTNESS TESTING	Seal penetrations, joints and fixtures for blower-door and air-permeability tests.
VENTILATION DUCTS	Cover duct openings and joints during installation or maintenance to prevent leakage and contamination.
DUCT CLEANING	Temporarily seal duct ends to contain dust and debris.
PLUMBING OPENINGS	Temporarily seal open plumbing ducts and soil pipes to block odours, dust and debris.
SITE PROTECTION	Seal doors, windows and vents, or use as disposable boot or shoe covers.

Built for quick temporary protection



Key benefits

- Quick, tool-free application using the perforated design.
- Secure hold with clean removal.
- Durable construction with high tensile strength to prevent shredding.
- High-visibility green colour for easy identification.
- Economical roll length suited to large-scale projects.

Approximate coverage: 113 registers per roll.